Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	43	372/29.012.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:16
L3	1378	372/34.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:16
L4	201	372/29.021.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:16
L6	744	372/33.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:19
L7	580	374/161.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:23
L8	9326	"372"/$.ccls. and laser and diode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/31 15:24
L9	10044	"372"/$.ccls. and laser and diode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:24
L10	4695	"372"/$.ccls. and laser and diode and (fiber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:24
L11	4136	"372"/$.ccls. and laser and diode and (fiber NEAR optic$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:24

L12	2606	"372"/$.ccls. and laser and diode and (fiber NEAR optic$2) and temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:24
L13	2606	"372"/$.ccls. and laser and diode and (fiber NEAR optic$2) and temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:24
L14	0	"372"/$.ccls. and laser and diode and (fiber NEAR optic$2) and temperature and diffeerence and power and control$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:25
L15	1305	"372"/$.ccls. and laser and diode and (fiber NEAR optic$2) and temperature and difference and power and control$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:25
L16	238	"372"/$.ccls. and laser and diode and (fiber NEAR optic$2) and temperature and difference and (power NEAR1 control$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:26
L17	208	"372"/$.ccls. and (laser NEAR diode) and (fiber NEAR optic$2) and temperature and difference and (power NEAR1 control$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:40
L18	15	"374"/$.ccls. and (laser NEAR diode) and (fiber NEAR optic$2) and temperature and difference and (power NEAR1 control$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:27
L19	11	"372"/$.ccls. and (laser NEAR diode) and ((fiber NEAR optic$2) NEAR3 temperature) and difference and (power NEAR1 control$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:48
L20	11	"372"/$.ccls. and (diode) and ((fiber NEAR optic$2) NEAR3 temperature) and difference and (power NEAR1 control$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:48
L21	12	"372"/$.ccls. and (diode) and ((fiber NEAR optic$2) NEAR3 temperature) and (error or difference) and (power NEAR1 control$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:53

L22	5	"372"/34.ccls. and (diode) and ((fiber NEAR optic$2) NEAR3 temperature) and (error or difference) and (power NEAR1 control$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:57
L23	12	"372"/34.ccls. and (diode) and ((fiber NEAR optic$2) NEAR3 temperature) and (error or difference) and control$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:03
L24	160	"372"/34.ccls. and (diode) and (fiber NEAR optic$2) and temperature and (error or difference) and control$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:03
L25	43	"372"/34.ccls. and (diode) and (fiber NEAR optic$2) and temperature and (error or difference) and (control$5 NEAR power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:03
L26	57	"372"/34.ccls. and (diode) and (fiber NEAR optic$2) and temperature and (error or difference) and (control$5 NEAR2 power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:19
L27	4	"372"/34.ccls. and (diode) and (fiber NEAR optic$2) and (fiber NEAR2 temperature) and (error or difference) and (control$5 NEAR2 power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:37
L28	4	"372"/34.ccls. and (diode) and (fiber NEAR optic$2) and (fiber NEAR2 temperature) and (control$5 NEAR2 power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:46
L29	15	"374"/$.ccls. and (diode) and (fiber NEAR optic$2) and (fiber NEAR2 temperature) and (control$5 NEAR2 power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:47
L30	35	"372"/$.ccls. and (diode) and (fiber NEAR optic$2) and (fiber NEAR2 temperature) and (control$5 NEAR2 power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:47
L31	25	"606"/$.ccls. and (diode) and (fiber NEAR optic$2) and (fiber NEAR2 temperature) and (control$5 NEAR2 power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:47

| L32 | | 2 | "606"/12.ccls. and (diode) and (fiber NEAR optic$2) and (fiber NEAR2 temperature) and (control$5 NEAR2 power) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/31 16:47 |